

Raport analityczny AR-25-E8-172632-02

Uzupełnienie raportu numer: AR-25-E8-172632-01

Numer próbki 297-2025-00257322

Data raportu 27.11.2025



Klient	ForMeds Sp. z o.o. ul. Grunwaldzka 184 60-166 Poznań POLSKA
x Rodzaj próbki	POWDER CHROMIUM; suplement diety 005-32419-3717147
x Zlecający badania	ForMeds Sp. z o.o.
x Data zlecenia klienta	12.11.2025
x Numer zlecenia	36 Eurofins
Próbki dostarczone przez	Firmę kurierską
x Próbki pobrane przez	zleciennodawcę
x Cel badania	nieokreślony
x Sposób pobrania próbki/próbek	gwarantujący jej reprezentatywność
Data przyjęcia próbki	18.11.2025
x Numer Partii	030625
x Data produkcji	06.2025
x Termin przydatności	01.06.2027
x Opakowanie	opakowanie producenta
Stan próbki	bez zastrzeżeń
Warunki transportu	w temp. otoczenia
Ilość próbek zbadanych	1 (próbka uśredniona z 3)
x Kod próbki klienta	Nowa próbka 23
Data rozpoczęcia badania	21.11.2025
Data zakończenia badania	24.11.2025

Wyniki badań / Rezultaty

Test	Parametr	Metoda	Wynik	Jednostka	Kryteria	Zgodny / Nie zgodny
SZQD5	Chrom (Cr) (A)	Internal Method LS-PP-CH-85, ICP-MS	230 // 184	mg/kg // µg/Dose	160 - 290 µg/Dose	Zgodny

A = Badanie akredytowane

x = Dane dostarczone od Klienta

Badania wykonano w laboratorium:

SZQD5: Eurofins Environment Testing Slovakia Turčianske RE000HB: ISO/IEC 17025:2017 SNAS S-406

PODSUMOWANIE

Masa porcji = 0,8 g

Badana próbka spełnia wymagania Klienta, w zakresie badanych parametrów. Zgodność stwierdzono na podstawie danych zawartych na zleceniu.

D14 - Powód uzupełnienia. Raport został uzupełniony o dodatkowe przeliczenie wyników badań, zlecone przez Klienta po zakończeniu realizacji zlecenia.



Zatwierdzający: Wiktoria Tomecka
Młodszy Koordynator ds. Technicznej Obsługi Klienta

1. Wyniki odnoszą się do otrzymanych i badanych próbek.
2. Wyników badań nie można powielać inaczej niż w całości bez pisemnej zgody Eurofins Polska Sp. z o.o.
3. Laboratorium podaje niepewność pomiaru, gdy jest to istotne dla ważności wyników lub zastosowania wyników badań; jest uzgodnione z klientem; jeśli niepewność pomiaru wpływa na zgodność z wyspecyfikowaną granicą.
4. Klient ma prawo do złożenia skargi w terminie 14 dni od daty otrzymania raportu analitycznego. Dopuszcza się przyjmowanie skargi jedynie w formie pisemnej, drogą elektroniczną na adres reklamacje@eurofin lub drogą pocztową.
5. Zatwierdzone wyniki badań wykonywanych u dostawców autoryzowane są przez osoby upoważnione w laboratorium dostawcy.
6. W przypadku, gdy Klient wymaga stwierdzenia zgodności ze specyfikacją lub wymaganiem dotyczącym badania a zasada podejmowania decyzji nie jest zawarta w w/w dokumentach, Laboratorium uzgadnia zasadę, która będzie zastosowana.
7. W przypadku, gdy wynik nie zawiera się w akredytowanym zakresie pomiarowym, wartość jest przedstawiona jako rezultat badania w formie <y lub >y (y- wartość odpowiadająca dolnej/górnej granicy zakresu pomiarowego akredytowanej metody).
8. Laboratorium nie ponosi odpowiedzialności za dane dostarczone przez Klientów. Dostarczone dane mogą wpływać na ważność wyników.

NIP: PL5792000046 Regon: 192897343

Analytical report AR-25-E8-172632-02

Supplement of report No.: AR-25-E8-172632-01

Sample code 297-2025-00257322

Issue date 27.11.2025



Client	ForMeds Sp. z o.o. ul. Grunwaldzka 184 60-166 Poznań POLSKA
x Type of sample	POWDER CHROMIUM; dietary supplement 005-32419-3717147
x Prescriber	ForMeds Sp. z o.o.
x Purchase order date	12.11.2025
x Client Purchase order nr.	36 Eurofins
Transport by	Courier
x Sampling Person	principal
x Purpose of the testing	not specified
x Type of sampling	to guarantee its representativeness
Reception date	18.11.2025
x Batch number	030625
x Production date	06.2025
x Best before date	01.06.2027
x Packaging	manufacturer packaging
Sample condition	acceptable
Transport condition	at ambient temp.
Number of tested samples	1 (averaged sample of 3)
x Client sample code	Nowa próbka 23
Start analysis	21.11.2025
End Analysis	24.11.2025

Results / Outcomes

Test code	Parameter	Method	Result	Unit	Criteria	Correct / Incorrect
SZQD5	Chromium (Cr) (A)	LS-PP-CH-85, ICP-MS	230 // 184	mg/kg // µg/Dose	160 - 290 µg/Dose	Pass

A = Accredited method

x = Data provided by the customer

Details of laboratory accreditation:

SZQD5: Eurofins Environment Testing Slovakia Turčianske RE000HB: ISO/IEC 17025:2017 SNAS S-406

JUDGEMENT

Dose weight = 0,8 g

The tested sample meets the customer's requirements regarding the tested parameters. Compliance was determined based on the data contained in the order.

D14 - Powód uzupełnienia. Raport został uzupełniony o dodatkowe przeliczenie wyników badań, zlecone przez Klienta po zakończeniu realizacji zlecenia.



Approved by Wiktoria Tomecka
Junior Analytical Service Manager

1. The results apply to samples received and analyzed.
2. The test results shall not be reproduced except in full without the written permission of Eurofins Polska Sp. z o.o.
3. Laboratory measurement uncertainty is given when it is relevant to the validity of the test result or the application of the test results; it is agreed with the client; if the uncertainty of measurement affects compliance with the specified limit.
4. The client has the right to submit a complaint within 14 days of receiving the analytical report. May be admitted only complaint in writing, by email reklamacje@eurofins.pl or by mail.
5. Approved analytical results made by subcontractors are authorized by persons authorized in the laboratory of the subcontractor.
6. In case a Customer demands a statement of conformity, or a requirement related to a test and the decision making rule is not included in the documents listed above, the Laboratory appoints a rule to be applied.
7. If the result is not within the accredited measurement range, the value is presented as a test result in the form $<y$ or $>y$ (y - value corresponding to the lower/upper limit of the accredited method's measurement range).
8. The laboratory is not responsible for the data provided by customers. The data provided may affect the validity of the results.

NIP: PL5792000046 Regon: 192897343